

**This Page Is Inserted by IFW Operations
and is not a part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- **BLACK BORDERS**
- **TEXT CUT OFF AT TOP, BOTTOM OR SIDES**
- **FADED TEXT**
- **ILLEGIBLE TEXT**
- **SKEWED/SLANTED IMAGES**
- **COLORLED PHOTOS**
- **BLACK OR VERY BLACK AND WHITE DARK PHOTOS**
- **GRAY SCALE DOCUMENTS**

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




Figure 1a




Figure 1b




Figure 1c

10000297-120404




Figure 2a





Figure 2b

10000297-20404
20404-20404



Figure






Figure 3b

10000297-120404




Figure 4a




Figure 4b




Figure 4c

10000297-120404




Figure 5a




Figure 5b




Figure 5c

10000297-120403




Figure 7a




Figure 7b





Figure 7c

Fig. 9

A



B





Fig. 10: In vitro degradation of PPE nerve guide conduits



Weight loss and decrease of weight-average molecular weight in a time-dependant manner under a physiological condition









[illegible]

Fig. 12



10000297-120402

Fig. 18




Fig. 21:




Fig. 22

Cumulative BSA release from various of microspheres
stabilised with 10% PVA




Fig. 23

